



**FOOD ESTABLISHMENT INSPECTION REPORT**

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 1 NONCRITICAL 2 TOTAL 3

<b>ESTABLISHMENT: BACKYARD LOUNGE</b>		<b>PERMIT NO.: FE-33-06-21-11-04</b>		<b>DATE: 12/16/2011</b>	
<b>ADDRESS: 714 WINCHESTER ST.</b>		<b>CITY: PAW PAW</b>		<b>STATE: WV ZIP: 25434</b>	
<b>PERSON IN CHARGE / TITLE:</b>				<b>TELEPHONE:</b>	
<b>RECEIVED BY (SIGNATURE):</b>			<b>SANITARIAN (SIGNATURE):</b>		
<b>INSPECTION TYPE: ROUTINE <input checked="" type="checkbox"/> FOLLOW-UP <input type="checkbox"/> COMPLAINT <input type="checkbox"/> OTHER:</b>					<b>TIME: 1:31</b>
Corrected	Critical	Repeat	Code Reference	Violation Description / Remarks / Corrections	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5-501.17	Ladies trash receptacle must be covered	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6-301.14	Employee handwash sink needs signage	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3-501.17	All PHF must be dated	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
all cooling units							
meet temp.							
requirement							